

# **GREASE GUNS**

## **GREASE GUN ACCESSORIES**

Alemite offers a large selection of high quality accessories to ensure durable, reliable performance.

## **Rigid Extensions**





#### FEATURES:

- Easy to use triple jaw hydraulic coupler ends for a superior seal – slight pushing action snaps jaws onto fittings
- Designed to allow wide 25° leak proof sealing angle
- Various lengths permit ease of attachment to hydraulic fittings
- Ends are I/8" NPTF(m)

Product #	Length	Coupler	Extension	Use with Gun Model	
6279	21"	6304-B	NA	All	
B6638	6 3/4"	6304-B	53986	All	
B6638-A	6 5/8"	308730	53986	All	
6638-B	12 1/8"	308730	NA	All	
54269	8"	6304-B	NA	6243-J3, 6679-J3	
339570	6.56	308730	NA	Pistol Grip Guns	

#### **Extension Hoses**



#### **FEATURES:**

- 1/8" NPTF(m) ends
- · 12,000 psi burst pressure

Product # Lengtl		Working Pressure	Hose Type	Hose End	
B337595-A1	12"	6,000 psi	Thermoplastic	1/8" NPTF(m)	
B337595-B1	18"	6,000 psi	Thermoplastic	I/8" NPTF(m)	
B317850-1	12"	4,800 psi	Elastomeric	1/8" NPTF(m)	
317850-IF	18"	4,800 psi	Elastomeric	1/8" NPTF(m)	
317850-2	24"	4,800 psi	Elastomeric	1/8" NPTF(m)	
317850-3	36"	4,800 psi	Elastomeric	1/8" NPTF(m)	

#### WARNING

For use with hand-operated grease guns only. The pressure rating on these hose assemblies applies when used with hand-operated grease pumping equipment ONLY, such as grease guns or bucket pumps. DO NOT use with power-operated equipment. Rupture of the hose can result in serious injury such as fluid injection into the flesh. For powered equipment, refer to adapters and swivel devices, which can be safely used where rapid pressure rises are encountered.

18 | Alemite Product Catalog www.alemite.com



# **GREASE GUNS**

## **GREASE GUN ACCESSORIES**

## **Hose Assemblies for Hydraulic Fittings**



Product #	Length	Coupler	Hose	Working Pressure	Hose End
B6703-A	12"	308730	317850-1	4,800 psi	1/8" NPTF(m)
6703-B	18"	308730	317850-IF	4,800 psi	1/8" NPTF(m)
B6652-A	12"	6304-B	317850-1	4,800 psi	1/8" NPTF(m)
6654-A	18"	6304-B	317850-IF	4,800 psi	1/8" NPTF(m)

## **Hose Assemblies for Standard Button Head Fittings**



Product #	Length	Coupler	Swivel	Hose	<b>Working Pressure</b>	Hose End
7089	12"	42030-A	301980	317850-1	4,800 psi	1/8" NPTF(m)

## **Hose Assemblies for Giant Button Head Fittings**

Product #	Length	Coupler	Swivel	Hose	Working Pressure	Hose End
6704-A	12"	304300-A	301980	317850-1	4,800 psi	1/8" NPTF(m)
6704-B	18"	304300-A	301980	317850-IF	4,800 psi	1/8" NPTF(m)

WARNING

For use with hand operated grease guns only



# **GREASE GUNS**

## **GREASE GUN ACCESSORIES**

## **Loader Fittings and Couplers**



B306740/B322610

## **B306740 Loader Fitting**

#### **FEATURES:**

- · For use with light to medium weight lubricants
- · One piece construction
- · Includes medium ball check passage
- Fit grease guns with 1/8" NPTF(f) port in head remove plug and install.

#### B322610

#### **FEATURES:**

- · For use with heavy lubricants
- · One piece construction
- · Includes large ball check passage
- Fit grease guns with 1/8" NPTF(f) port in head remove plug and install.



306741

#### 306741

#### **FEATURES:**

- · For installation on loader pumps
- Use with loader fittings B306740 and B322610
- · 3/8" NPTF(m) thread

#### Other Grease Gun Accessories



#### F331035 Grease Gun Holder

### **FEATURES:**

- For wall mounting Alemite Professional Series and Standard Series Grease Guns
- · Corrosion resistant finish

## **B408 3 Ounce Grease Cartridges**

#### **FEATURES:**

- · Use with F104 Mini Pistol Grip Grease Gun
- 3 cartridges per package