PRODUCT CODE	DESCRIPTION
121-041	3 JAW CONNECTOR
121-011	4 JAW CONNECTOR
6304	3 JAW (REVERSABLE JAWS)
126-100/JO514	HOOK ON TO HYD CONVERT

PRODUCT CODE	DESCRIPTION
132-021	9” GREASE HOSE
132-031	12” GREASE HOSE
132-045	18” GREASE HOSE
139-061	24” GREASE HOSE

PRODUCT CODE	DESCRIPTION
JO507	ROUNDHEAD HOOK ON
JO507DH	HEX HEAD HOOK ON
JO514	KNUCKLE JOINT PUSH ON
532	MINATURE HOOK ON
304300-A	GIANT PULL ON

REMOTE GREASING ACCESSORIES

BULKHEAD M10 X 1 – 6L



PRODUCT CODE	DESCRIPTION
106-243L	6mm OD X M10 X 1 FEMALE

Item No	D	L1	L2	SW1	SW2
106-243L	6	66	20	17	14

High Pressure Polymide Hose, 840 Bar burst Pressure

Nominal size	4,0 x 8,6 mm d (inner/outer)
Inner diameter	3,90 – 4,10 mm
External diameter	8,50 x 8,75 mm

PRODUCT CODE	DESCRIPTION
111-35114-1	8.6mm hose empty
504-36033-3	8.6mm hose grease filled

Reusable Hose Stud and Sleeve, for self assembly

High pressure hose Ø 4,1 x 8,75

PRODUCT CODE	Abb.	Da	L	sw
432-24162-1	1	6	30	10
432-23675-1*	1	6	30	10

*Stainless Steel



PRODUCT CODE	L	sw
432-23031-1	28	12
432-23676-1*	28	12

*Stainless Steel



PRODUCT CODE	Abb	Da	h	l	sw
100-058	1	6	35	25	10



PRODUCT CODE	Abb	Da	h	l	sw
100-058	1	6	13	21	10
532-30739-1	1	6	28	37	10
532-30738-1	1	6	28	53	10



POLYMIDE TUBE SEMI-RIGID
Average 3000 PSI (200 Bar) Burst Pressure

PRODUCT CODE	Description
504-36041-2	6 x 1.5 Grease Filled
112-35127-7	6 x 1.5 Empty

BEARING CONNECTION FITTINGS
PLATED STEEL

PRODUCT CODE	D	d1 keg/tap	sw1	sw2
223-13023-2	6	M6	11	12
223-13023-3	6	M8 x 1	11	12
223-13021-3	6	M10 x 1	11	12
223-12485-9	6	R 1 /8 BSP	11	12
223-12380-6	6	R 1 /4 BSP	12	14



PRODUCT CODE	D	d1 keg/tap	sw1	sw2
223-12533-9	6	M6	11	12
223-13023-1	6	M8 x 1	11	12
223-12271-7	6	M10 x 1	11	12
223-12270-7	6	R 1 /8 BSP	11	12
223-12477-8	6	R 1 /4 BSP	12	14



We have many other sizes of steel compression fittings available for use with systems installation.
A full range of 4mm, 8mm, 10mm and 12mm OD sizes with threads to suit your applications.